

COUNCIL'S CERTIFICATE

SURVEYOR'S CERTIFICATE

PLAN OF SUBDIVISION OF LOT 11 P.P. 860223

STRATA PLAN 55468

SYDNEY CITY

DANIEL JAMES HANNIGAN
DANIEL JAMES HANNIGAN
LEVEL 23/27 PRIT STREET SYDNEY

Registered:  30-7-1997
C.A. : N° 508-00419 OF
16-7-1997
Purpose : STRATA PLAN

Any other part of the registration of the Plan shall be subject to the provisions of the Registration of Plans Act 1977 and the provisions of the Regulations made thereunder.

I certify that the Surveyor and Registrar certify that the Plan is a valid and legal subdivision of the land described in the Certificate of Title No. 136 to 277 (inclusive) and that the Plan is in accordance with the provisions of the Registration of Plans Act 1977 and the Regulations made thereunder.

Parish : ST. LAWRENCE County : CUMBERLAND

Ref. Map : U1845-1344
Last Plan : DP 860223

Signature of Registrar
I, the Registrar, do hereby certify that the Plan is a valid and legal subdivision of the land described in the Certificate of Title No. 136 to 277 (inclusive) and that the Plan is in accordance with the provisions of the Registration of Plans Act 1977 and the Regulations made thereunder.

Signature of Registrar
D. J. Hannigan

Name of, and address for service of notices on, the body corporate
Address required on original strata plan only
THE OWNERS
STRATA PLAN No. 55468
281 ELIZABETH STREET,
SYDNEY N.S.W. 2060

This is sheet 1 of my Plan in 33 sheets

Signatures, seals and statements of intention to create easements, restrictions on the use of land or positive covenants PURSUANT TO SECTION 7 (3) OF THE STRATA TITLES ACT 1973 AND SECTION 888 OF THE CONVEYANCING ACT 1919. IT IS INTENDED TO CREATE :

- 1. EASEMENT FOR USE VARIABLE WIDTH
- 2. EASEMENT FOR ACCESS VARIABLE WIDTH
- 3. RESTRICTION ON THE USE OF LAND

FOR LOCATION PLAN SEE SHEET 2

SCHEDULE OF BY-LAWS IN 57 SHEETS FILED WITH THE PLAN

CUMBERLAND UNION BANK LIMITED
AND/OR 716 STYS by its Attorney
Peter Henry Mackinnon under power
of attorney Reg No 55 BANK UNION

RHP 1.06.

CONVEYOR'S CERTIFICATE

JANITOR'S CERTIFICATE

SYDNEY CITY

... of the ...
... of the ...
... of the ...

[Signature]

DANIEL JAMES HARRIGAN
of GENERAL LANGRISH REALTY & CO
LEVEL 13 2307 MITT STREET SYDNEY

... of the ...
... of the ...
... of the ...


[Signature]

This is sheet 1 of my Plan in 33 sheets

Signatures, seals and statements of intention to create easements, restrictions on the use of land or positive covenants PURSUANT TO SECTION 7 (3) OF THE STRATA TITLES ACT, 1973 AND SECTION 88B OF THE CONVEYANCING ACT, 1919. IT IS INTENDED TO CREATE :

1. EASEMENT FOR USE VARIABLE WIDTH
2. EASEMENT FOR ACCESS VARIABLE WIDTH
3. RESTRICTION ON THE USE OF LAND

The Common Seal of
HYDE PARK REGENCY PTY LTD
A.C.N. 061 480 108



WHS AFFIXED IN THE PRESENCE OF
[Signature] Secretary
Director: *[Signature]*

SCHEDULE OF BY-LAWS IN 57 SHEETS FILED WITH THE PLAN

PLAN OF SUBDIVISION OF LOT 11 P.R. 860723

LGA SYDNEY Locality: SYDNEY

Parish: ST. LAWRENCE County: CUMBERLAND

Reduction Ratio: 1: — Lengths are in metres

Registered: STRATA PLAN 55468
C.A.
Purpose:
Ref. Map:
Last Plan:

Home of, and address for service of notices on, the body corporate
Address required on original strata plan only

THE OWNERS
STRATA PLAN No.
281 EDZBETH STREET,
STONEY N.S.W. 2060

FOR LOCATION PLAN SEE SHEET 2

10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160
Table of mm															

WARNING: CREASING OR FOLDING WILL LEAD TO REJECTION

SCHEDULE OF UNIT ENTITLEMENT

SHT 25 OF 57 SH TS
STRATA PLAN 55468

LOT No	UNIT ENTITLEMENT
1	77
2	77
3	64
4	67
5	64
6	42
7	43
8	67
9	70
10	66
11	31
12	42
13	43
14	36
15	69
16	72
17	68
18	32
19	43
20	45
21	33
22	71
23	74
24	70
25	32
26	44
27	45
28	33
29	72
30	73
31	71
32	33
33	45

LOT No	UNIT ENTITLEMENT
34	46
35	34
36	73
37	76
38	72
39	34
40	46
41	46
42	35
43	74
44	77
45	74
46	35
47	46
48	47
49	36
50	75
51	78
52	74
53	36
54	46
55	48
56	37
57	76
58	79
59	76
60	37
61	47
62	49
63	38
64	77
65	80
66	76

LOT No	UNIT ENTITLEMENT
67	38
68	49
69	50
70	39
71	78
72	81
73	78
74	39
75	50
76	51
77	40
78	79
79	82
80	78
81	39
82	51
83	53
84	41
85	81
86	83
87	81
88	40
89	52
90	53
91	42
92	82
93	83
94	81
95	41
96	54
97	55
98	42
99	130

LOT No	UNIT ENTITLEMENT
100	125
101	42
102	55
103	56
104	43
105	127
106	122
107	43
108	58
109	59
110	44
111	97
112	94
113	44
114	59
115	61
116	45
117	91
118	87
119	45
120	62
121	63
122	46
123	131
124	127
125	63
126	65
127	128
128	125
129	65
130	66
131	261
132	241

LOT No	UNIT ENTITLEMENT
133	75
134	268
135	113
136	7
277	7
AGGREGATE	10 000

UNITS 136 TO 277
 INCLUSIVE


UNIT 136 TO 277 INCLUSIVE
 UNIT ENTITLEMENT 7 EACH

Reduce onto 11 —

Lengths are in metres

D. J. Manning

St Bonny



- NOTES**
- 1) ▲ DENOTES PROLONGATION OF LINE OF COLUMNS
 - 2) Ⓢ DENOTES PROLONGATION OF CENTRE LINE OF COLUMN
 - 3) CP DENOTES COMMON PROPERTY
 - 4) H DENOTES 90°
 - 5) * DENOTES PROLONGATION OF FACE OF WALL

CARPARK - LEVEL 7

Reduction Ratio 1:150

Lengths are in metres




A. J. Wainwright
Surveyor Registered under Surveyor Act 1978

Geocon Pty Ltd
Engineering/Architectural Division

WARNING: CREASING OR FOLDING WILL LEAD TO REJECTION

SIRATA PLAN 55468



NOTES

- 0 ▶ DENOTES PROLONGATION OF LINE OF COLUMNS
- 2) ◄ DENOTES PROLONGATION OF CENTRE LINE OF COLUMN
- 3) CP DENOTES COMMON PROPERTY
- 4) * DENOTES PROLONGATION OF FACE OF WALL

CARPARK - LEVEL 6



Reducti Ratio 1:150

Lengths are in metres



D. V. Haniff
Surrey Architectural Institute Chartered 2nd 1970

E. Glenonally
Surrey Architectural Institute Chartered 2nd 1970



- NOTES
- 1) ▶ DENOTES PROLONGATION OF LINE OF COLUMNS
 - 2) ⚡ DENOTES PROLONGATION OF CENTRE LINE OF COLUMN
 - 3) CP DENOTES COMMON PROPERTY
 - 4) x DENOTES PROLONGATION OF FACE OF WALL

CARPARK - LEVEL 5

Reduction Ratio 1: 150

Lengths are in metres

D. J. Ham
Survey Registered with Surveyors Act 1929

G. Donnelly
Professional Architect/Engineer





WARNING! CREASING OR FOLDING WILL LEAD TO REJECTION

SHT 29 OF 57 SHTS

Sheet No. 29 of 57 SHEETS

STRATA PLAN 55468



- NOTES
- 1) D DENOTES PROLONGATION OF LINE OF COLUMNS
 - 2) E DENOTES PROLONGATION OF CENTRE LINE OF COLUMN
 - 3) CP DENOTES COMMON PROPERTY
 - 4) * DENOTES PROLONGATION OF FACE OF WALL

CARPARK - LEVEL 4

Reduction 1:150

Lengths are in metres



D.P. [Signature]

[Signature]



WARNING: CREASING OR FOLDING WILL LEAD TO REJECTION

STRATA PLAN 55468



- NOTES**
- 0 DENOTES PROLONGATION OF LINE OF COLUMNS
 - 2) € DENOTES PROLONGATION OF CENTRE LINE OF COLUMN
 - 3) CP DENOTES COMMON PROPERTY
 - 4) * DENOTES PROLONGATION OF FACE OF WALL

CARPARK - LEVEL 3

Reduction Ratio 1:150


Lengths are in metres

D. J. [Signature]
 Surveyor Registered under Surveyors Act 1929

[Signature]
 Authorised Person



STRATA PLAN 55468



NOTES

- 1) DENOTES PROLONGATION OF LINE OF COLUMNS
- 2) DENOTES PROLONGATION OF CENTRE LINE OF COLUMN
- 3) CP DENOTES COMMON PROPERTY
- 4) * DENOTES PROLONGATION OF FACE OF WALL
- 5) (A) RESTRICTION ON THE USE OF LAND

CARPARK - LEVEL 2

Reducer' Ratio 1: 150

Lengths are in metres


S. J. ...
 Surveyor/Registered under Surveyors Act 1979

... Kearns
 Architect/Registered under Architects Act 1979



WARNING: CREASING OR FOLDING WILL LEAD TO REJECTION

STRATA PLAN 55468



- NOTES
- 1) ▲ DENOTES PROLONGATION OF LINE OF COLUMNS
 - 2) ◊ DENOTES PROLONGATION OF CENTRE LINE OF COLUMN
 - 3) * DENOTES PROLONGATION OF FACE OF WALL

CARPARK - LEVEL 1

Reduction Ratio 1:150

Lengths are in metres

A. J. [Signature]
Surveyor/Registered under Surveyors Act 1929



[Signature]
Surveyor/Registered under Surveyors Act 1929



WARNING: CREASING OR FOLDING WILL LEAD TO REJECTION

SHT 33 OF 57 SHTS

STRATA PLAN 55468





GROUND FLOOR

NOTES

- 1) AREAS ARE APPROXIMATE
 - 2) CP DENOTES COMMON PROPERTY
 - 3) (A) EASEMENT FOR ACCESS VARIABLE WIDTH
(B) EASEMENT FOR USE VARIABLE WIDTH
 - 4) - DENOTES PROLONGATION OF FACE OF COLUMN
 - 5) L DENOTES RIGHT ANGLE
 - 6) THE AREA SHADDED (C) IS LIMITED IN HEIGHT TO THE CONCRETE CEILING SURFACE OF THE FIRST FLOOR ABOVE
 - 7) THE AREA SHADDED (D) IS LIMITED IN HEIGHT TO THE CONCRETE CEILING SURFACE OF THE FIRST FLOOR ABOVE
- 8) ⊕ THE WHOLE OF THE MEZZANINE FLOOR INCLUDING ITS CUBIC & STRUCTURAL CUBIC SPACE FORMS PART OF LOT 134

Reduction Ratio 1:150

Lengths are in metres



- NOTES
- 1) AREAS ARE APPROXIMATE
 - 2) CP DENOTES COMMON PROPERTY
 - 3) - DENOTES PROLONGATION OF FACE OF WALL
 - 4) ⊥ DENOTES RIGHT ANGLE

FIRST FLOOR

149117 C3

Reduction Ratio 1:150

D.P. Haniff
Registered Surveyor


Lengths are in metres

Manavally
Authorised Person

FURM 2

WARNING: CREASING OR FOLDING WILL LEAD TO REJECTION

SHT 35 OF 57 SHTS
 STRATA PLAN 55468



2ND FLOOR



NOTES

- 1) AREAS ARE APPROXIMATE
- 2) CP DENOTES COMMON PROPERTY
- 3) (B) DENOTES BALCONY
- 4) (T) DENOTES TERRACE
- 5) THE STRATA OF THE BALCONES AND TERRACES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY OR TERRACE FLOOR EXCEPT WHERE COVERED

Reduction Ratio 1:150

Lengths are in metres

STRATA PLAN 55468



NOTES

- 1) AREAS ARE APPROXIMATE
- 2) CP DENOTES COMMON PROPERTY
- 3) (B) DENOTES BALCONY
- 4) (T) DENOTES TERRACE
- 5) THE STRATHUM OF THE BALCONIES AND TERRACES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY OR TERRACE FLOOR EXCEPT WHERE COVERED



3RD FLOOR

Reduction Ratio 1:150

Lengths are in metres

D. J. Manning
Registered Surveyor

Authorised
Practitioner



- NOTES**
- 1) AREAS ARE APPROXIMATE
 - 2) CP DENOTES COMMON PROPERTY
 - 3) (B) DENOTES BALCONY
 - 4) (B) DENOTES BALCONY
 - 5) THE STRATUM OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED

4TH FLOOR



Revised: 11/10/10

Lengths are in metres

D. P. Kaminia

Abanally

STRATA PLAN 55468



NOTES

- 1) AREAS ARE APPROXIMATE
- 2) CP DENOTES COMMON PROPERTY
- 3) (B) DENOTES BALCONY
- 4) THE STRATUM OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED

5TH FLOOR

Reduction Ratio 1:150

D. J. Hanley
Registered Surveyor



Lengths are in metres

Authorised Person

WARNING: CREASING OR FOLDING WILL LEAD TO REJECTION

SHT 41 OF 57 SHTS

STRATA PLAN 55468



NOTES



- 1) AREAS ARE APPROXIMATE
- 2) CP DENOTES COMMON PROPERTY
- 3) (B) DENOTES BALCONY
- 4) THE STRUTUM OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED

8TH FLOOR

Reduction Ratio 1:150

Lengths are in metres

STRATA PLAN 55468



NOTES

- 1) AREAS ARE APPROXIMATE
- 2) CP DENOTES COMMON PROPERTY
- 3) (B) DENOTES BALCONY
- 4) THE STRATUM OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED

9TH FLOOR


Reduction Ratio 1:150

Lengths are in metres


D. J. Hanley
Registered Surveyor

Authorised Person

STRATA PLAN 55468



- NOTES**
- 1) AREAS ARE APPROXIMATE
 - 2) CP DENOTES COMMON PROPERTY
 - 3) (B) DENOTES BALCONY
 - 4) THE STRATUM OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED



11TH FLOOR

Reduction Ratio 1:100

Lengths are in metres



B. J. Bennett
Registered Surveyor

G. Kennedy
Authorized Signatory

WARNING: CREASING OR FOLDING WILL LEAD TO REJECTION



SHT 45 OF 57 SHTS

STRATA PLAN 55468



NOTES

- 1) AREAS ARE APPROXIMATE
- 2) CP DENOTES COMMON PROPERTY
- 3) (B) DENOTES BALCONY
- 4) THE STRUTUM OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED



NOTES

- 1) AREAS ARE APPROXIMATE
- 2) CP DENOTES COMMON PROPERTY
- 3) (B) DENOTES BALCONY
- 4) THE STRUTUM OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED

13TH FLOOR

Reduction Ratio 1:150


D. J. Hanley
Registered Surveyor

Lengths are in metres

C. Kearney
Administrative Branch

WARNING: CREASING OR FOLDING WILL LEAD TO REJECTION

SHT 47 OF 57 SHTS
 STRATA PLAN 55468





- NOTES
- 1) AREAS ARE APPROXIMATE
 - 2) CP DENOTES COMMON PROPERTY
 - 3) (B) DENOTES BALCONY
 - 4) THE STRATUM OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED

14TH FLOOR

Re Von Ratio 1:150
V. J. Hanrahan

Lengths are in metres
S. Hanrahan

STRATA PLAN S5468



NOTES

- 1) AREAS ARE APPROXIMATE
- 2) CP DENOTES COMMON PROPERTY
- 3) (B) DENOTES BALCONY
- 4) THE STRATUM OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED

15TH FLOOR


Reduction Ratio 1:150

Lengths are in metres

D. J. Manning
Registered Surveyor

C. Pennington
Authorised Person

STRATA PLAN 55468



NOTES

- 1) AREAS ARE APPROXIMATE
- 2) CP DENOTES COMMON PROPERTY
- 3) (B) DENOTES BALCONY
- 4) THE STRATA OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED


16TH FLOOR

Reduction Ratio 1:150

Lengths are in metres

J. Manning
Registered Surveyor

Deonally
Authorised Person



17TH FLOOR

NOTES

- 1) AREAS ARE APPROXIMATE
- 2) CP DENOTES COMMON PROPERTY
- 3) (B) DENOTES BALCONY
- 4) THE STRATUM OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED


Reduction Ratio 1:150

Lengths are in metres

N. J. Hanley
 Registered Surveyor

Alan Kelly
 Authorised Person

12/01/10 C 3



NOTES

- 1) AREAS ARE APPROXIMATE
- 2) CP DENOTES COMMON PROPERTY
- 3) (B) DENOTES BALCONY
- 4) THE STRATUM OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED

18TH FLOOR



Reduction Ratio 1:150

Lengths are in metres

J. Wang
Registered Strata Planner

Alanoly
A. Alanoly

STRATA PLAN 55468



19TH FLOOR

NOTES

- 1) AREAS ARE APPROXIMATE
- 2) CP DENOTES COMMON PROPERTY
- 3) (B) DENOTES BALCONY
- 4) THE STRATUM OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED

Reduction Ratio 1:150



Lengths are in metres

A.J. Hamilton
 Registered Surveyor

J. Barnard
 Authorised Person

WARNING: CREASING OR FOLDING WILL LEAD TO REJECTION

STRATA PLAN 55468



20TH FLOOR

NOTES



- 1) AREAS ARE APPROXIMATE
- 2) CP DENOTES COMMON PROPERTY
- 3) (B) DENOTES BALCONY
- 4) THE STRATA OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED

Rev. Von Rechts 11/150

Lengths are in metres

V. J. ...

...



21ST FLOOR

NOTES

- 1) AREAS ARE APPROXIMATE
- 2) CP DENOTES COMMON PROPERTY
- 3) (B) DENOTES BALCONY
- 4) THE STRATUM OF THE BALCONIES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY FLOOR EXCEPT WHERE COVERED



Reduction Ratio 1:150

Lengths are in metres


N. Manning
 Registered Surveyor

C. Kearns
 Authorised Person

STRATA PLAN 55468



22ND FLOOR



23RD FLOOR

- NOTES**
- 1) AREAS ARE APPROXIMATE
 - 2) CP DENOTES COMMON PROPERTY
 - 3) (B) DENOTES BALCONY
 - 4) (TT) DENOTES TERRACE
 - 5) THE STRATUM OF THE BALCONIES AND TERRACES ARE LIMITED IN HEIGHT TO 2.8 METRES ABOVE THE UPPER CONCRETE SURFACE OF EACH RESPECTIVE UNITS BALCONY OR TERRACE FLOOR EXCEPT WHERE COVERED

Reduction Ratio 1:150

Lengths are in metres

N.J. Blaney
Registered Surveyor

Authorised Person

LEVEL 10

RL 46,930
LEVEL 7

RL 44,110
LEVEL 4

RL 42,290
LEVEL 3

RL 38,470
LEVEL 2

RL 35,650
LEVEL 1

RL 32,800
LEVEL 0 (UPPER)
RL 32,000
LEVEL 10 (LOWER)

RL 27,650
LEVEL 8 (UPPER)

RL 23,200
LEVEL 7 (UPPER)

2820

2820

2820

2820

2820

2850


800

4350

4450

EXISTING FACADE TO BE RETAINED

WILLIAMSON - CREST
INDUSTRIES



CASTLEREACH ST. ELEV.

S.P. 55468

SHT 57 of 57 SHTS